



Statistics

Summer Packet 2018

Name: _____

Congratulations on your decision to take Math 240: Statistical Methods!

This class may be very different from other courses you have taken – it is a combination of Math, English, and Science. Communication skills are essential, and there is much more reading and writing than what you may be used to in a mathematics class. Math 240 is a college course and at times will be difficult. However, it is very important and rewarding. The mathematics required for this course may not be as difficult as in other courses, but some concepts may be very confusing. You can expect to spend time studying both inside and outside of class. On assignments and test, you will be asked to write descriptive paragraphs and concluding sentences. You will have to explain the reasoning behind the method you use and your conclusions. So thoroughly understanding each concept is essential to a successful performance in the class. There is a great deal of material to cover by the school year's end, so you need to be committed to giving it your absolute best effort every day. Lastly, a graphing calculator is an essential tool for this course. If at all possible, it is a good idea to purchase one for the class.

Not surprisingly, it can be difficult to cover all the required material for this course and still have time for a lengthy review period for the final exam. The completion of this packet might free up a few extra days to cover required curriculum; allow us to spend extra time on the more significant topics; and allow us a few more days to review. This summer Math packet addresses the material that you should be comfortable with before the start of Math 240. This Math packet serves 2 purposes:

- 1) allow you to remain mathematically fresh during the summer and
- 2) enable you to “hit the ground running” when Statistics begins.

This packet is due on the first day of school and will count as a project grade. I recommend that you take some time off and look towards beginning the packet come mid-summer. It is important that the techniques practiced in this packet are fresh in your mind come the first day of school. You should give yourself at least two weeks to complete it. If you find something confusing, please email me and I will help you find the right direction. We will go over the critical components of this packet in class and you will be tested on this material. As with any assignment, copying answers from another individual or another source is considered academically dishonest and will result in a grade of zero.

Have a great summer and I look forward to seeing you in the fall.

Mrs. Childress

nchildress@times2.org

Suggested resources:

www.khanacademy.com

<http://stattrek.com/>

ARE YOU READY FOR STATISTICS?

The first unit of Statistics begins with the basics of descriptive statistics. Many of these concepts have been covered in previous math and science courses. Over the summer you will review these topics and complete this packet. Writing and reading comprehension are important components to the course. In this packet are three tasks that require you to justify your reasons. Listed below are some Internet sites that contain information about descriptive statistics.

www.mste.uiuc.edu/hill/dstat/dstat.htm

www.chelt.ac.uk/acadres/stats/descript.htm

www.habermas.org/stat2f98.htm

Part I – Background Information

Visit the American Statistical Association

<http://www.amstat.org/careers>

Search under each of the following four subtopics and write out answers.

- 1) What is Statistics?
- 2) What Do Statisticians Do?
- 3) How Do I Become a Statistician?
- 4) What Industries Employ Statisticians?

Part II – Math Skills Review

1. Write equations of the horizontal and vertical lines that pass through the point $(-3, 4)$. Please label which equation is horizontal and which is vertical.
2. Find the slope and y-intercept of the line. Sketch the line.
 - a. $y = \frac{2}{3}(2x - 4)$
 - b. $\frac{1}{3}y - 6x = 4$
3. Find the slope and write the equation of the line containing the points $(6, -2)$ and $(0, 5)$
4. Solve and graph each inequality. Graph each.
 - a. $|4x - 6| \leq 4$
 - b. $\left|x + \frac{3}{2}\right| > \frac{3}{2}$
 - c. $-2x + 3y > x + 9$
 - d. $-y > 3x - 1$

5. Plot the data using a scatter plot then decide if the data is linear, exponential, quadratic, or absolute value.
- $(-3, 4)$ $(-2, 3.5)$ $(-1, 3)$ $(0, 2.5)$ $(1, 2)$ $(2, 1.5)$ $(3, 1)$
 - $(-3, 4)$ $(-2, 3)$ $(-1, 2)$ $(0, 1)$ $(1, 2)$ $(2, 3)$ $(3, 4)$
 - $(-3, 4)$ $(-2, 2)$ $(-1, 1)$ $(0, \frac{1}{2})$ $(1, \frac{1}{4})$ $(2, \frac{1}{8})$ $(3, \frac{1}{16})$
 - $(-3, 4)$ $(-2, \frac{7}{3})$ $(-1, \frac{4}{3})$ $(0, 1)$ $(1, \frac{4}{3})$ $(2, \frac{7}{3})$ $(3, 4)$
6. There are 25 students in your English class. To determine the speaking order for presenting oral reports, slips of paper numbered from 1 to 25 are placed in a box. Each student draws a number to determine his or her speaking order.
- What is the probability that the number you draw will be odd?
 - What is the probability that the number you draw will be even?
 - Five oral reports will be given on each day. What is the probability that you will have to give your report on the first day?
 - What is the probability that you will be the last person to give your report?

7. For the function find the requested values.

$$f(x) = 3x^2$$

$$f(-3) =$$

$$f(0) =$$

$$f(2) =$$

8. Evaluate $g[f(-2)]$ and $f[g(3)]$ for the following function.

$$f(x) = -x; g(x) = x^2 + 5$$

9. Solve:

$$\text{a. } 2\sqrt{x} + 9 = 21$$

$$\text{b. } \sqrt{2x+10} = x+1$$

$$\text{c. } 2|x-1| = 14$$

$$\text{d. } 4(x-2) = 3^2 - x$$

$$\text{e. } \frac{1}{3}n + 3 = n - 2$$

$$\text{f. } 9(2p+1) - 3p > 4p - 6$$

$$\text{g. } \frac{2}{3}y = \frac{8}{13}$$

$$\text{h. } x^2 - 8x + 7 = 0$$

$$\text{i. } \frac{m}{12} + \frac{5}{6} = \frac{5}{24}$$

10. Write the equation of the line containing the given points:

$$\text{a. } (6, -2) \text{ and } (0, 5)$$

$$\text{b. perpendicular to: } y=2x-1, \text{ contains } (2, 7)$$

11. On your graph paper, create and sketch a(n):

a. linear function

b. exponential function

c. quadratic function

Part III - Measuring Central Tendency

- a. Find the mean, median, and mode of the following collection.

15, 11, 19, 15, 14, 13, 17, 11, 12, 17, 15, 14, 15

To begin, order the fourteen numbers.

11, 11, 12, 13, 14, 14, 14, 15, 15, 15, 17, 17, 19

To find the **mean**, divide the sum of the numbers by 14. The **median** is the average of the two middle numbers for even data list.

$$\text{mean} = \frac{2(11) + 12 + 13 + 3(14) + 4(15) + 2(17) + 19}{14} \approx 14.4$$

$$\text{Median} = \frac{14 + 15}{2} = 14.5$$

The **mode** is 15 because that is the number that occurs the most frequently.

For odd data list, the median is the middle number.

- b. Find the quartiles of the collection in Example a. Then, sketch a box-and-whisker plot of the data


$\overbrace{11, 11, 12, 13, 14, 14, 14}^{\text{Lower half}}$
 $\overbrace{15, 15, 15, 15, 17, 17, 19}^{\text{Upper half}}$

The **first quartile** is 13 (the median of the lower half)

The **second quartile** is 14.5 (the median)

The **third quartile** is 15 (the median of the upper half).

A **box-and-whisker plot** for the data labels the endpoints of the data and marks the quartiles. It is shown at the right.



The **range** is the difference of the highest and lowest data points. That is, the range is $19 - 11 = 8$.

Exercises

- Find the mean, median, mode, and range of the following collection of scores on a test.
32, 72, 81, 95, 98, 58, 77, 75, 83, 97, 45, 89, 93, 57,
82, 97, 52, 75, 79, 78, 99, 98, 54, 75, 85, 61, 55, 86
- Find the first, second, and third quartiles of the collection of data in Exercise 1.
- Construct a box-and-whisker plot of the collection of data in Exercise 1.
- Complete #1-3 for the following set of data. The weights (in pounds) of eleven children are as follows:
39, 52, 40, 45, 46, 55, 48, 40, 43, 47, 44

Part IV - Organizing Data


At a car dealership, the number of new cars sold in a week by each salesperson was as follows:

5, 8, 2, 0, 2, 4, 7, 4, 1, 1, 2, 2, 0, 1, 2, 0, 1, 3, 3, 2.


a. Construct a frequency distribution for this data.

Number	Tally	Frequency
8		1
7		1
6		0
5		1
4		2
3		2
2		6
1		4
0		3

b. Construct a line plot for this data



c. Construct a bar graph that shows the number of salespeople who sold 0-8 cars.



Exercises

1. Twenty-eight students in a class were asked how many cars their family owned. The results were as follows:

2, 2, 3, 2, 1, 2, 2, 4, 3, 2, 0, 1, 0, 1, 1, 2, 2, 3, 2, 3, 3, 5, 1, 1, 3, 0, 1, 2

Construct a frequency distribution and a line plot for this data.

2. Each of the members of a recent high school graduating class was asked to name his/her favorite among these subjects: English, foreign language, history, mathematics, science. The results are shown in the table. Construct a bar graph that shows these results.

English	62
Foreign Language	40
History	40
Mathematics	18
Science	33

Part V - Constructing Stem-and-Leaf Plots and Histograms

I. Construct a stem-and-leaf plot for the data

Unordered Data

63, 52, 84, 83,
 51, 32, 58, 35,
 45, 41, 65, 75,
 59, 67, 25, 46

Stem-and-leaf Plot


2	5
3	2 5
4	1 5 6
5	1 2 8 9
6	3 5 7
7	5
8	3 4

Leaves should be in increasing order.

A stem-and-leaf plot orders data in increasing or decreasing order.

II. Histograms

1. Construct and label a horizontal number line that is scaled to contain all of the values of the variable of interest.
2. Construct and label a vertical axis so that the greatest frequency can be represented.
3. Construct the bars of equal width that are centered above each value. The heights of the bars represent the frequencies of the values.



Exercises

1. Construct a stem-and-leaf plot for the data
 15, 59, 66, 42, 48, 23, 70, 81, 35, 51, 68, 29, 77, 92,
 85, 16, 37, 59, 61, 76, 40, 25, 86, 11
2. Construct a histogram for the above data.

Task 1: Write two specific survey questions that you would ask voters in the next senatorial election in your state. Choose the type of question and response (yes/no, scale of 1 to 5, numerical responses, etc.) that would be most appropriate for the issues involved. What relationships would be expected when the responses are analyzed?


Task 2: Find a set of numbers that will satisfy the following conditions:

- The median of a set of 20 numbers is 24.
- The range is 42.
- To the nearest whole number the mean is 24.
- No more than three numbers are the same.

Show your strategy. Be specific...show your process. Saying guess and check is not a strategy.

Task 3: Two pain relievers, A and B, are being compared for relief of postsurgical pain. Twenty different strengths (doses in milligrams) of each drug were tested. Eight hundred postsurgical patients were randomly divided into 40 different groups. Twenty groups were given drug A. Each group was given a different strength. Similarly, the other twenty groups were given different strengths of drug B. Strengths used ranged from 210 to 400 milligrams. Thirty minutes after receiving the drug, each patient was asked to describe his or her pain relief on a scale of 0 (no decrease in pain) to 100 (pain totally gone).

The strength of the drug given in milligrams and the average pain rating for each group are shown in the scatterplot below. Drug A is indicated with A's and drug B with B's.



- Based on the scatterplot, describe the effect of drug A and how it is related to strength in milligrams.
- Based on the scatterplot, describe the effect of drug B and how it is related to strength in milligrams.
- Which drug would you give and at what strength, if the goal is to get pain relief of at least 50 at the lowest possible strength? Justify your answer based on the scatterplot.

Part VI - Combinations and Permutations

This a review topic from Algebra II that we will use in probability.

An Important Counting Principle The computation of theoretical probabilities is based upon an important counting principle called logical multiplication.

- If a person has 3 different sweatshirts and 2 different pairs of jeans, then there are $3 \times 2 = 6$ possible outfits.
- If there is a family of 6 children, and assuming both genders are equally likely at birth, how many different gender arrangements are there? For each child, there are 2 possibilities (B or G) and each birth is independent of the others, therefore $2^6 = 64$ possible arrangements.
- How many ways are there of arranging 5 children to stand in a line? For the first space, there are 5 choices, for the next space, 4 choices, and so on until the last space when there is only one choice, the last child. The total number of ways is
 $5 \times 4 \times 3 \times 2 \times 1 = 5! = 120$. To calculate this on a TI83 press 5, go to MATH, scroll right to PROB, then down to #4 !

Permutations have ORDER.

- **In how many ways can we pick a 4 letter word from the word MATH? As explained above, the answer would be $4! = 24$ ways.**
- In how many ways can we pick a 7 letter word from the letters ENGLAND? If all the letters were different, there would be $7!$ ways. However, there are 2 N's and so there would be half as many $\left(\frac{7!}{2!}\right)$ ways. Similarly, there are $\left(\frac{9!}{2! \cdot 2!}\right)$ ways are getting a 9 letter word from the letters JEFFERSON.
- In how many ways can we arrange 4 letters from a total of 6 letters? Using the counting principle, we can see that it would be $6 \times 5 \times 4 \times 3 = \frac{6!}{2!} = \frac{6!}{(6-4)!}$. In general, the number

of different permutations of n items taken r items at a time is denoted by ${}^n P_r = \frac{n!}{(n-r)!}$

Combinations ORDER DOES NOT MATTER

- There is only 1 way to choose 3 letters from C A T because CAT is considered the same choice as TAC. So, there are FEWER ways of arranging items than when order matters.
- For example from the set of 5 elements, {a,b,c,d,e} there are 10 ways of choosing 3 letters:
{abc} {abd} {abe} {acd} {ace} {ade} {bcd} {bce} {bde} {cde}
- In general, the number of ways that r items can be chosen from n elements is

$${}^n C_r = \frac{n!}{r!(n-r)!}$$

Exercises:

1. If a sandwich shop has 3 different types of meat, 4 types of bread, and 3 different type of cheese. How many types of sandwiches can you create if you must have meat, bread and cheese on each?
2. How many ways can you hang 3 pictures in a row on a wall?
3. How many ways can you visit 5 exclusive shops when you are looking for the perfect present for Mrs. Gustafson?
4. If a person has 4 pairs of shoes and 6 pairs of socks, then how many shoe-sock combos are possible?
5. If there is a family of four, how many different gender arrangements are there?
6. If you are taking a multiple choice test (a, b, c, & d) consisting of 10 questions, then how many different arrangements of answers are there?

Permutations: Order matter; think “president”; key word: arrange

7. How many ways can we pick a 6 letter “word” from the word HOKIES?
8. How many ways can we pick a 10 letter “word” from the word STATISTICS?
9. How many ways can we pick 3 different officers from a club of 20 members?

Combinations: Order doesn’t matter; think “committee”; key word: select

10. ${}^5C_3 = \frac{5!}{3!2!} =$ ${}^7C_4 =$ ${}^{10}C_3 =$

11. How many ways can we select a committee of 3 people from a club of 20 members?
12. How many ways can we pick 4 winners for 8 prizes if each prize is the same?